





KESÄTARJOUKSET 2025

	LG21T/S	chest freezer 208 litres with sliding glass lids, -18°/-24°C					
	<p>Metallic frame. Saftey lock. Embossed metallic inner liner. 2 unlocked, 2 locked wheels. Tempered flat glass lids. Digital thermometer. Drain system. 2 baskets included. Suitable for frozend food and ice cream. Inside dimensions: 639x529x666 mm.</p> <p>500,00 € alv. 0%</p>						
	BCZ0009/S	chest freezer 314 (258) litres with sliding glass lids, -18°/-24°C					
	<p>Metallic frame. Saftey lock. Embossed metallic inner liner. 2 unlocked, 2 locked wheels. Tempered flat glass lids. Digital thermometer. Drain system. 2 baskets included. Suitable for frozend food and ice cream. Inside dimensions: 915x529x666 mm.</p> <p>600,00 € alv. 0%</p>						
	BCZ0006/S	chest freezer 478 (400) litres with sliding glass lids, -18°/-24°C					
	<p>Metallic frame. Saftey lock. Embossed metallic inner liner. 2 unlocked, 2 locked wheels. Tempered flat glass lids. Digital thermometer. Drain system. 2 baskets included. Suitable for frozend food and ice cream. Inside dimensions: 1366x529x666 mm.</p> <p>720,00 € alv. 0%</p>						
	BGA0003/S	Chest freezer 395 litres with solid lid, -24°C					
	<p>SN-T Climate Class. Dual mode (Fridge or Freezer). Aluminum handle. Painted door sheet. Led ampule light. Lock. Mechanical thermostat. Water drain system. Included: 2 wire baskets 1 divider and scraper.</p> <p>625,00 € alv. 0%</p>						
	BGA0004/S	Chest freezer 459 litres with solid lid, -24°C					
	<p>SN-T Climate Class. Dual mode (Fridge or Freezer). Aluminum handle. Painted door sheet. Led ampule light. Lock. Mechanical thermostat. Water drain system. Included: 2 wire baskets 1 divider and scraper.</p> <p>718,00 € alv. 0%</p>						
	BGA0006/S	Chest freezer 621 litres with solid lid, -24°C					
	<p>SN-T Climate Class. Dual mode (Fridge or Freezer). Aluminum handle. Painted door sheet. Led ampule light. Lock. Mechanical thermostat. Water drain system. Included: 3 wire baskets 1 divider and scraper.</p> <p>890,00 € alv. 0%</p>						

	BFD0020/SBL	Upright bottle cooler 373 litres with glass door and 5 shelves, +1°/+10°C - Color black					
		Inner body top LED lighting. Fan switch. Light switch. Mechanical thermostat. Digital thermometer. Plastic door frame. Tempered double glass. Thermoformed inner body. Built-in handle. 2 pcs adjustable foot, 2 pcs roller. 5 PVC coated wire shelf. Ventilated cooling. Insulation 45 mm. Door lock. Self closing door.Note: Door not reversible.					
		658,00 € alv. 0%					
	BFD0001/BL	Upright bottle cooler 373 litres with glass door and canopy lighting, +1°/+10°C - Color black					
		LED illuminated canopy. Inner body top LED lighting. Fan switch. Light switch. Mechanical thermostat. Digital thermometer. Plastic door frame. Tempered double glass. Thermoformed inner body. Built-in handle. 2 pcs adjustable foot, 2 pcs roller. 5 PVC coated wire shelf. Ventilated cooling. Insulation 45 mm. Self closing door.Note: Door not reversible.					
		650,00 € alv. 0%					
	BFD0023	Upright bottle cooler 707 litres with glass door and canopy lighting, +1°/+10°C - Color black					
		LED illuminated canopy. Inner body top LED lighting. Fan switch. Light switch. Mechanical thermostat. Digital thermometer. Plastic door frame. Tempered double glass. Thermoformed inner body. Built-in handle. 2 pcs adjustable foot, 2 pcs roller. 5 PVC coated wire shelves. Ventilated cooling. Insulation 45 mm. Self closing door.Note: Door not reversible.					
		938,00 € alv. 0%					
	BFD0025	Upright bottle cooler 1491 litres with 3 glass doors, +1°/+10°C - Color black					
		Inner body top LED lighting. Fan switch. Light switch. Digital thermostat. Digital thermometer. Plastic door frame. Tempered double glass. Thermoformed inner body. Built-in handle. 2 pcs adjustable foot, 4 pcs roller. 4+4+4 PVC coated wire shelves. Ventilated cooling. Insulation 45 mm. Self closing door.Note: Door not reversible.					
		2080,00 € alv. 0%					
	BAA0070	Ice cube maker, air cooling, 22 kg/24 h					
		Finishing AISI 304. Tropical Climate type +43°C. Sprayer system. Air cooled system. Door with handle. Polyurethane isolated body. Ice cube 18g. Usage Areas: Hotels, Restaurants, Fast Food, Cocktails, Discotheques. Optional: Drain pump.Our machines must be connected to a water softener plant in order to maintain the warranty claim. A proof is mandatory.					
		900,00 € alv. 0%					

	<p>Finishing AISI 304. Tropical Climate type +43°C. Sprayer system. Air cooled system. Door with handle. Polyurethane isolated body. Ice cube 18g. Usage Areas: Hotels, Restaurants, Fast Food, Cocktails, Discotheques. Optional: Drain pump. Our machines must be connected to a water softener plant in order to maintain the warranty claim. A proof is mandatory.</p> <p>1000,00 € alv. 0%</p>				
<p>9974C</p>	<p>Undercounter refrigerator with 1 hinged glass door, 133 litres, -1°/+5°C</p>				
	<p>600,00 € alv. 0%</p>				
<p>9975C</p>	<p>Undercounter refrigerator with 2 hinged glass doors, 201 litres, -1°/+5°C</p>				
	<p>690,00 € alv. 0%</p>				
<p>9976C</p>	<p>Undercounter refrigerator with 3 hinged glass doors, 320 litres, -1°/+5°C</p>				
	<p>870,00 € alv. 0%</p>				
<p>IBC0027SD</p>	<p>Undercounter refrigerator with 3 sliding glass doors, 320 litres, -1°/+5°C</p>				
	<p>860,00 € alv. 0%</p>				

	BMA0050/CI	Undercounter refrigerator in stainless steel, 200 litres, 0°/+8°C					
		<p>Refrigerated undercounter cabinet 200 liters externally in stainless steel with white thermoformed ABS interior, solid door, lock and Dixell Blue Line thermostat as standard. Roll-bon evaporator with fan-assisted cooling. Compressor cycle defrost. Cyclopentane foaming agent with 50 mm insulation. Removable gasket. Reversible door. 2 adjustable shelves. Feet adjustable at the front, on castors at the back.</p> <p>650,00 € alv. 0%</p>					
	9702C	Refrigerator cabinet 600 litres in ABS, GN 2/1, +2°/+10°C					
		<p>Chiller Cabinets with white,digital thermostat and lock, inside in ABS. Roll bond evaporator system with fan assisted cooling. GN2/1 adjustable shelves. Compressor cycle defrost. Digital thermostat. Foaming agent cyclopentane per side 60 mm. Removable gasket. Handle along door profile. Lock fitted as a standard. Adjustable feet at front, rollers at back, Energy class: D</p> <p>810,00 € alv. 0%</p>					
	9741C	Freezer 600 litres in ABS, 650x500 mm, -18°/-22°C					
		<p>Freezer Cabinets with a white form, solid doors, digital thermostat and lock, inside in ABS. Moreover, the 600 freezer litres models are equipped with an air valve to simplify the opening of the door. Fixed evaporator shelves. Manual defrost. Digital thermostat. Foaming agent cyclopentane per side 65 mm. Removable gasket. Reversible door. Handle along door profile. Lock fitted as a standard. Adjustable feet at front, rollers at back.</p> <p>900,00 € alv. 0%</p>					
	9718C	saladette with 2 doors GN 1/1, 5x GN 1/6 h=150 mm, +2°/+10°C	84185090				950,00 € alv. 0%
		<p>Our saladettes are built to differ from the other models available on the market and to ensure: greater energy saving and respect for the environment, greater efficiency, greater functionality, greater aesthetic appeal. Cyclopentane foaming agent 45 mm per side. Door with internal embossing for better. Digital thermostat with new energy saving algorithm. Refrigerant gas R600a and R290. Tilted holes in front panel with alternated orientation from bottom to top to guarantee better circulation of incoming and exhaust air. Easily removable condenser filter for smooth maintenance and cleaning. Separated plastic water tray to collect dripping water. Sliding engine easy to pull out for manageable after-sales servicing. Numbered wiring for the best after-sales servicing. Anticondensation thermo-braker on door frame. Supports for GN pans with hook design.</p>					
	9719C	refrigerated preparation counter with 2 doors GN 1/1, +2°/+10°C	84185090				790,00 € alv. 0%
		<p>Our saladettes are built to differ from the other models available on the market and to ensure: greater energy saving and respect for the environment, greater efficiency, greater functionality, greater aesthetic appeal. Cyclopentane foaming agent 45 mm per side. Door with internal embossing for better. Digital thermostat with new energy saving algorithm. Refrigerant gas R600a and R290. Tilted holes in front panel with alternated orientation from bottom to top to guarantee better circulation of incoming and exhaust air. Easily removable condenser filter for smooth maintenance and cleaning. Separated plastic water tray to collect dripping water. Sliding engine easy to pull out for manageable after-sales servicing. Numbered wiring for the best after-sales servicing. Anticondensation thermo-braker on door frame. Supports for GN pans with hook design.</p>					

9937T	pizza counter with 3 doors GN 1/1, +2°/+10°C						
	<p style="text-align: center;">1150,00 € alv. 0%</p>						
CM1089A	digital microwave oven, 26 litres, maximum 1050 W - with touch control panel						
	<p>Large cavity for larger volume - 26 litres. 5 power levels for greater cooking versatility. No turn table for larger capacity. Pull to open door with large display window. 20 programme facility. 3 stage cooking. Cycle counter - records how often each programme is used (CM1089 only). Instant programme start. X2 Double quantity pad. Programme list view. Cycle counter - records how often each programme is used. 20 programmes.</p> <p style="text-align: center;">460,00 € alv. 0%</p>						
CM1519A/SN	Microwave oven in stainless steel, 26 litres, maximum 1500 W						
	<p>5 power levels (High 1500 W, Medium 1050 W, Low 750 W, High Defrost 375 W and Low Defrost 195 W). Digital display. LED oven lighting. Operation via rotary control. Stainless steel / ceramic cooking chamber. Quick start button + 20 seconds. Repeat function. Stackable.</p> <p style="text-align: center;">800,00 € alv. 0%</p>						
CM1919A/SN	Microwave oven in stainless steel, 26 litres, maximum 1850 W						
	<p>5 power levels (High 1850 W, Medium 1295 W, Low 925 W, High Defrost 370 W und Low Defrost 185 W). Digital display. LED oven lighting. Operation via rotary control. Stainless steel / ceramic cooking chamber. Quick start button + 20 seconds. Repeat function. Stackable.</p> <p style="text-align: center;">1000,00 € alv. 0%</p>						
CM1029A/SN	Microwave oven in stainless steel, 26 litres, maximum 1000 W - with touch control panel						
	<p>5 power levels (High 1000 W, Medium 700 W, Low 500 W, High Defrost 300 W und Low Defrost 180 W). 50 automatic programs. Digital display. Reminder function for changing the filter. LED oven lighting. X2 button - if you double the amount, simply double the respective program duration. Stage Cook - selection of several power levels in one program. Stainless steel / ceramic cooking chamber. Quick start button + 20 seconds. Repeat function. Stackable.</p> <p style="text-align: center;">850,00 € alv. 0%</p>						

	CM1529A/SN	Microwave oven in stainless steel, 26 litres, maximum 1500 W - with touch control panel					
		5 power levels (High 1500 W, Medium 1050 W, Low 750 W, High Defrost 375 W und Low Defrost 195 W). 50 automatic programs. Digital display. Reminder function for changing the filter. LED oven lighting. X2 button - if you double the amount, simply double the respective program duration. Stage Cook - selection of several power levels in one program. Stainless steel / ceramic cooking chamber. Quick start button + 20 seconds. Repeat function. Stackable.					
		800,00 € alv. 0%					
	CM1929A/SN	Microwave oven in stainless steel, 26 litres, maximum 1850 W - with touch control panel					
		5 power levels (High 1850 W, Medium 1295 W, Low 925 W, High Defrost 370 W und Low Defrost 185 W). 50 automatic programs. Digital display. Reminder function for changing the filter. LED oven lighting. X2 button - if you double the amount, simply double the respective program duration. Stage Cook - selection of several power levels in one program. Stainless steel / ceramic cooking chamber. Quick start button + 20 seconds. Repeat function. Stackable.					
		880,00 € alv. 0%					
	ACA2023	Gas hob on open cabinet with 6 burners (39,0 kW)					
		Worktop made of stainless steel. Nickel cast iron burners. The gas is supplied via a thermocouple with a safety valve. The enamelled containers can be easily removed for cleaning. The grids of the hob are made of enamelled cast iron.					
		1200,00 € alv. 0%					
	2125U	Gas hob with 1 burner 7 kW (NG)					
		Gas stove with a stainless steel housing. Equipped with thermocouple, copper burners and stainless steel collection trays. Supplied with NG nozzle (standard).					
		300,00 € alv. 0%					
	AVZ0006/B	Induktion wok 3,5 kW, Ø 280mm					
		The induction hobs are easy to install on every working surface in kitchens, restaurants or dining rooms; thanks to the absence of fumes they are perfect for public cooking performances or when the preparation is made in view of customers.- Graduated digital controls.- Extremely easy to use and to clean.- Smooth cooking surface makes cleaning easy. - Safe operations are ensured by the cooking surface which is never heating up.- Induction hobs are energy saving thanks to heating efficiency and no need to heat up.- Electric absorption is stopped when the pan is removed from the hob surface.					
		300,00 € alv. 0%					

2151S	Induction wok hob Ø 330 mm 5 kW, tabletop - 400V						
	<p>Strong glass ceramic surface. With filter. Stainless steel case. Touchpad control panel and digital display. Electronic overheating protection. Power rate 500 - 5000 W. This induction cooker is usable only with our stainless steel wok pan. For other cookware, we don't suggest to use.</p> <p>680,00 € alv. 0%</p>						
1240G	Electric fryer with drain tap, tabletop, oil capacity 8 litres						
	<p>Electric fryer cap. oil 8 lt with oil drain - tabletop - Completely made in stainless steel. • Drawn pan • Tilting head with heating elements, main switch and control thermostat 50-180° C. Safety thermostat 240°C. • Micro switch on the heating elements box • Frying basket in stainless steel with heat resistant handle • Drain tap with safety device. Cap. pan 10 lt.</p> <p>370,00 € alv. 0%</p>						
1270G	Electric fryer with drain tap, tabletop, oil capacity 10 litres						
	<p>Electric fryer cap. oil 10 lt with oil drain - tabletop - Completely made in stainless steel. • Drawn pan • Tilting head with heating elements, main switch and control thermostat 50-180° C. Safety thermostat 240°C. • Micro switch on the heating elements box • Frying basket in stainless steel with heat resistant handle • Drain tap with safety device. Cap. pan 15 lt.</p> <p>396,00 € alv. 0%</p>						
5695TD	electric convection oven, mechanical control, 4x 435x350 mm						
	<p>Inside and Outside made of Stainless Steel with external Scotch Bright finishing. Cooking chamber with round corners. Double motor and double fans. Internal global diffusion ventilation system. Stainless Steel tubular handle. 60 minute timer 280°C thermostat. Internal lighting. Cold glass door with removable internal glass (low emissivity). Removable anti-tipping guides support. Interlocking door gasket. The delivery does not include trays and/ or grids.</p> <p>590,00 € alv. 0%</p>						
GLB0105	Dishwasher with detergent injector, mechanical, rack 50x50 cm, max h=32 cm						
	<p>Electromechanical control panel. Upper and lower washing and rinsing arms. Stainless-steel washing arms. Safety thermostat in washing tank and boiler. Anti-backflow valve fitted. Temperature adjustment: Wash 60°C and rinse 85°C. Technical features: 2 washing cycles: 90" / 180". Tank capacity: 25 liters / Heating power: 2.8 kW. Boiler capacity: 7 liters / Heating power: 5.6 kW. Wash pump power: 0.6 kW. Rinsing consumption: 2.7 liters / rinse. Multi-Voltage: 400V/3N, 230V/3, 230V/1N. Adjustable boiler heating power (Multi-Power) 2,5 3,4 6,2. Equipped with: Rinse aid dispenser and detergent aid dispenser. 2 baskets of 500x500 mm and 1 basket for cutlery. Optional: Draining pump. Standard delivery: 400V/ 3F+N.</p> <p>1580,00 € alv. 0%</p>						